

**DRIVE THE CHANGE**



**85**

AVAILABLE VERSIONS



dumper skip

RI



dumper skip + self loading with swivel bucket

ACW



hi tip



HI



hi-tip + self loading with swivel bucket

HIACW

# MINILINE



## ATTACHMENTS/ ACCESORIOS





Levers



Electric start



Hour meter



Fuel cap with key



Hydraulic Output



Buzzer alarm



Horn hazard



Parking Brake



concrete Mixer hormigonera



trencher abre zanjas



water pump bomba achiq.




hyd. saw cierra hid.



radio control



mini loader minicargadora



agri skip caja agri



hyd. Hammer martillo hid.



mini excavator retro excavador




dashboard

diesel version 14 hp

SPECIFICATIONS		85		version
		METRIC	U.S.	
<b>ENGINE / MOTOR</b>				
Gas / Gasolina		Honda Gx 390 13 hp		Gas gasolina
Diesel		Yanmar LN 100 AE 10 hp		Diesel
Diesel		Kubota Z 482 14 hp		Diesel
<b>TRANSMISSION / TRANSMISIÓN</b>				
Type / Tipo		Hydrostatic / Hidráulica		
Hydraulic pump / Bomba Hidráulica		2 variable pistons pumps 2x variable displ.		
<b>TRACKS / SISTEMA DE RODAMIENTO</b>				
Stand. tracks width/Ancho de la oruga stand.		180 mm	(7.1 in)	
Rocking Rollers / Rodillos Oscilantes		Yes / Si		
Rollers / Rodillos		2		
<b>HYDRAULIC SYSTEM / SISTEMA HIDRÁULICO</b>				
Hydraulic pump / Bomba Hidráulica		Gear pump / Equipo		
Flow std / Flujo Std		1x15,8 l/min	(1x4.2 gpm)	
Hi-flow / Flujo Hi-Flow		1x22 l/min	(1x5.8 gpm)	
Max pressure / Presión Máxima		150 bar	(2180 psi)	
<b>PERFORMANCE AND DIMENSIONS / RENDIMIENTO Y DIMENSIONES</b>				
Max. Travel Speed / Veloc. Max		(5 Kmh)	(3.1 mph)	Diesel
		(6 Kmh)	(3.7 mph)	Gas gasolina
Operative weight / Capacidad operativa		800 kg (1762 LB)		
Dry Weight / Peso del Equipo		560 to/a 690 kg	(1235 to/a 1521)	Diesel
		540 to/a 750 kg	(1191 to/a 1654)	Gas gasolina
Skip capacity / Capacidad del volq		0.28 m <sup>3</sup> (0.37 yd <sup>3</sup> )		
		0.45 m <sup>3</sup> (0.59 yd <sup>3</sup> )		
Parking brake / freno de estacionamiento		Yes / Si		

DIMENSIONS / DIMENSIONES		
	mm	in
A	1926	75.8
B	1336	52.6
C	739	29.1
D	810	31.9
E	1132	44.6
G	2595	102.2
H	1500	59.1
I	835	32.9



**CORMIDI S.r.l.** Via Fonte, 342  
 84069 Roccadaspide (SA) Italy  
 Tel. +39 0828 943688 - Fax +39 0828 943963  
 info@cormidi.com  
 www.cormidi.com

all information in this brochure can change without notice / toda la información en este folleto puede cambiar sin previo aviso

graphic design: Rosario Mario Litali